

## Lubrimax<sup>®</sup> Alu-Quick

### Safety Data Sheet

Version number: GHS 1.2

acc. to Regulation (EC) No. 1907/2006 (REACH)

Date of compilation: 19.01.2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1 Product identifier

Trade name **Lubrimax<sup>®</sup> Alu-Quick**  
Unique formula identifier (UFI) **A600-604U-3003-5EU8**

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses **Lubricant**  
**Industrial uses: uses of substances as such or in preparations at industrial sites**

##### 1.3 Details of the supplier of the safety data sheet

Steidle GmbH  
D-51371 Leverkusen, Röttgerweg 12  
Germany  
T: +49(0)214/82511-25 info@steidle-gmbh.de  
F: +49(0)214/82511-26 www.steidle-gmbh.de

#### Additional information

Manufacturer					
Country	Name	Postal code	City	Telephone	Website
Germany	Steidle GMBH	51371	Leverkusen		

e-Mail address of competent person responsible for the SDS info@steidle-gmbh.de (Technik)

##### 1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number): **GBK GmbH +49 (0)6132-84463**  
UFI: **A600-604U-3003-5EU8**

#### SECTION 2: Hazards identification

##### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.10	aspiration hazard	1	Asp. Tox. 1	H304
4.1C	hazardous to the aquatic environment - chronic hazard	4	Aquatic Chronic 4	H413

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

## Lubrimax<sup>®</sup> Alu-Quick

### Safety Data Sheet

Version number: GHS 1.2

acc. to Regulation (EC) No. 1907/2006 (REACH)

Date of compilation: 19.01.2024

#### 2.2 Label elements

##### Labelling

- Signal word danger

- Pictograms

GHS08



- Hazard statements

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

- Precautionary statements

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

- Hazardous ingredients for labelling

Hydrocarbons, C10-C13, n-alkanes, <2% aromatics, Hydrocarbons, C11-C12, isoalkanes, <2% aromatics, 2,2,4,6,6-pentamethylheptane

#### 2.3 Other hazards

This material is combustible, but will not ignite readily.

##### 2.3.2 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

##### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0,1\%$ .

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

##### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
Hydrocarbons, C10-C13, n-alkanes, <2% aromatics	CAS No 64771-72-8  EC No 929-018-5  REACH Reg. No 01-2119475608-26-xxxx	50 - < 75	Asp. Tox. 1 / H304	

## Lubrimax<sup>®</sup> Alu-Quick

### Safety Data Sheet

Version number: GHS 1.2

acc. to Regulation (EC) No. 1907/2006 (REACH)

Date of compilation: 19.01.2024

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	CAS No 90622-57-4  EC No 918-167-1  REACH Reg. No 01-2119472146-39-xxxx	25 - < 50	Flam. Liq. 3 / H226 Asp. Tox. 1 / H304 Aquatic Chronic 4 / H413	
2,2,4,6,6-pentamethylheptane	CAS No 13475-82-6  EC No 236-757-0  REACH Reg. No 01-2119490725-29-xxxx	5 - < 10	Flam. Liq. 3 / H226 Asp. Tox. 1 / H304 Aquatic Chronic 4 / H413	

For full text of abbreviations: see SECTION 16.

#### SECTION 4: First aid measures

##### 4.1 Description of first aid measures

###### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

###### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

###### Following skin contact

Rinse skin with water/shower. Take off contaminated clothing.

###### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

###### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

##### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

##### 4.3 Indication of any immediate medical attention and special treatment needed

none

#### SECTION 5: Firefighting measures

##### 5.1 Extinguishing media

###### Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

###### Unsuitable extinguishing media

Water jet

## Lubrimax<sup>®</sup> Alu-Quick

### Safety Data Sheet

Version number: GHS 1.2

acc. to Regulation (EC) No. 1907/2006 (REACH)

Date of compilation: 19.01.2024

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Personal protective equipment: see section 8.

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## Lubrimax<sup>®</sup> Alu-Quick

### Safety Data Sheet

Version number: GHS 1.2

acc. to Regulation (EC) No. 1907/2006 (REACH)

Date of compilation: 19.01.2024

#### 7.2 Conditions for safe storage, including any incompatibilities

There is no additional information.

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials" (Section 10).

#### 7.3 Specific end use(s)

See section 16 for a general overview.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

This information is not available.

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

Nitrile

- Material thickness

> 1 mm.

- Breakthrough times of the glove material

>60 minutes (permeation: level 3)

- Not suitable are gloves made of the following materials

Fabric, Leather

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

**Lubrimax<sup>®</sup> Alu-Quick**

**Safety Data Sheet**

Version number: GHS 1.2

acc. to Regulation (EC) No. 1907/2006 (REACH)

Date of compilation: 19.01.2024

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

Physical state	liquid
Colour	colourless - transparent
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	≥62 °C (o.c.)
Auto-ignition temperature	not determined
pH (value)	not applicable
Kinematic viscosity	2,2 - 2,8 mm <sup>2</sup> /s at 20 °C 1,5 - 1,9 mm <sup>2</sup> /s at 40 °C
Water solubility	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	not determined
-----------------	----------------

Density and/or relative density

Density	0,75 - 0,77 g/cm <sup>3</sup> at 20 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

## Lubrimax<sup>®</sup> Alu-Quick

### Safety Data Sheet

Version number: GHS 1.2

acc. to Regulation (EC) No. 1907/2006 (REACH)

Date of compilation: 19.01.2024

#### 9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

#### SECTION 10: Stability and reactivity

##### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

##### 10.2 Chemical stability

See below "Conditions to avoid".

##### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

##### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

##### 10.5 Incompatible materials

Oxidisers

##### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### SECTION 11: Toxicological information

##### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

###### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

###### Classification acc. to GHS

###### Acute toxicity

Shall not be classified as acutely toxic.

###### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

###### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

###### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitizer.

###### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

###### Carcinogenicity

Shall not be classified as carcinogenic.

## Lubrimax<sup>®</sup> Alu-Quick

### Safety Data Sheet

Version number: GHS 1.2

acc. to Regulation (EC) No. 1907/2006 (REACH)

Date of compilation: 19.01.2024

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

May be fatal if swallowed and enters airways.

#### Other information

Repeated exposure may cause skin dryness or cracking.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0,1\%$ .

#### Other information

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

May cause long lasting harmful effects to aquatic life.

### 12.2 Persistence and degradability

Degradability of components						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Hydrocarbons, C10-C13, n-alkanes, <2% aromatics	64771-72-8	oxygen depletion	77 - 83 %	28 d		
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	90622-57-4	oxygen depletion	31 %	28 d		

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0,1\%$ .



## Lubrimax<sup>®</sup> Alu-Quick

### Safety Data Sheet

Version number: GHS 1.2

acc. to Regulation (EC) No. 1907/2006 (REACH)

Date of compilation: 19.01.2024

#### 12.7 Other adverse effects

Data are not available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

14.1	UN number or ID number	not subject to transport regulations
14.2	UN proper shipping name	not relevant
14.3	Transport hazard class(es)	none
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6	Special precautions for user	There is no additional information.
14.7	Maritime transport in bulk according to IMO instruments	The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

##### **Transport information - National regulations - Additional information (UN RTDG)**

Not subject to transport regulations: UN RTDG

##### **International Maritime Dangerous Goods Code (IMDG) - Additional information**

Not subject to IMDG.

##### **International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**

Not subject to ICAO-IATA.

## Lubrimax<sup>®</sup> Alu-Quick

### Safety Data Sheet

Version number: GHS 1.2

acc. to Regulation (EC) No. 1907/2006 (REACH)

Date of compilation: 19.01.2024

#### SECTION 15: Regulatory information

##### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

##### Relevant provisions of the European Union (EU)

##### Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	EC No	No
Lubrimax <sup>®</sup> Alu-Quick	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC			3
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	flammable / pyrophoric			40
2,2,4,6,6-pentamethylheptane	flammable / pyrophoric			40

##### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

##### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

##### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

##### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

##### Toxic Substance Control Act (TSCA)

all ingredients are listed

##### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information

##### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

## Lubrimax<sup>®</sup> Alu-Quick

### Safety Data Sheet

Version number: GHS 1.2

acc. to Regulation (EC) No. 1907/2006 (REACH)

Date of compilation: 19.01.2024

Abbr.	Descriptions of used abbreviations
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
SVHC	Substance of Very High Concern
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H413	May cause long lasting harmful effects to aquatic life.



## Lubrimax<sup>®</sup> Alu-Quick

### Safety Data Sheet

Version number: GHS 1.2

acc. to Regulation (EC) No. 1907/2006 (REACH)

Date of compilation: 19.01.2024

---

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.